



# T66JEX EXPLOSION PROOF TELESCOPIC BOOM LIFT

SPECIFICATIONS		
Working Height	71 ft	21.64 m
Platform Height	65 ft 8 in	20.02 m
Platform Size	36 x 96 in	.91 x 2.44 m
Platform Capacity	550 lbs	249.48 kg
Overall Width	8 ft 2 in	2.49 m
Stowed Height	8 ft 2 in	2.5 m
Stowed Length	35 ft 5 in	10.79 m
Ground Clearance	11 in	0.29 m
Tailswing	4 ft	1.22 m
Outside Turning Radius (4WS)	9 ft 6 in	2.9 m
Outside Turning Radius (2WS)	17 ft 7 in	5.36 m
Jib Range of Articulation	6 ft, 130°	
Gross Weight (Est)	25,341 lbs	11494.48 kg
Platform Rotation	180° Hydraulic	
Batteries	48v DC 750 Amp-Hr Battery	
Specifications Subject to Change		



## SAFETY

- Explosion Proof
- Class I, Division 1, Group D
- Fully Compliant with the Latest UL 583 Type EX Standard
- ANSI A92.20 & CSA B354.6 Compliant

## STANDARD EQUIPMENT

- 65 ft 8 in Platform Height
- 71 ft Working Height
- 36 x 96 in Platform Size
- 11 in Ground Clearance
- 550 lb Platform Capacity
- Proportional Hydraulic Controls
- Platform Battery Condition Indicator
- 750 Amp Hr Battery
- Full Height Swing Gate
- Movement Alarm
- 1/2" Airline to Platform

## OPTIONS

- Soft Touch System
- Fall Arrest System
- FMR System Fault Monitoring and Recording

